QUARTERLY GROUNDWATER MONITORING AND SAMPLING REPORT FOR THE POWERINE REFINERY

June 1988

PREPARED FOR

Powerine Oil Company
P.O. Box 2108
Santa Fe Springs, California 90670

Ву

ERT, Inc. 19782 MacArthur Boulevard, Suite 365 Irvine, California 92715



QUARTERLY GROUNDWATER MONITORING AND SAMPLING REPORT FOR THE POWERINE REFINERY

June 1988

PREPARED FOR

Powerine Oil Company
P.O. Box 2108
Santa Fe Springs, California 90670

Ву

ERT, Inc. 19782 MacArthur Boulevard, Suite 365 Irvine, California 92715


TABLE OF CONTENTS

<u>Page</u>

1.0	INTRODUCTION		1
2.0	GROUNDWATER MON	NITORING AND SAMPLING	4
	2.1 Water-Level	l Monitoring .	4
	2.2 Groundwate	r Sampling	7
3.0	LABORATORY ANA	LYSIS	11
	3.1 EPA Test Me	ethod 601	11
	3.2 EPA Test Me	ethod 624	11
4.0	ANALYTICAL RES	ULTS	13
5.0	CONCLUSIONS		22
6.0	REFERENCES		24
APPE	NDIX A - CHAIN	OF CUSTODY DOCUMENTS	
APPE	NDIX B - LABORA	TORY REPORTS	
		LIST OF TABLES	
TABL	E NUMBER	TITLE	
	1	SUMMARY OF WATER-LEVEL MONITORING DAT	A 5
	2	SUMMARY OF GROUNDWATER SAMPLING DATA	9
	3	SUMMARY OF ANALYTICAL TEST RESULTS- VOLATILE ORGANIC COMPOUNDS	14
	4	SUMMARY OF ANALYTICAL TEST RESULTS- PURGEABLE HALOCARBON COMPOUNDS	19
	5	SUMMARY OF ACETONE CONCENTRATIONS	21
		LIST OF FIGURES	
FIGU	RE NUMBER	TITLE	
	1	PROJECT SITE LOCATION MAP	2
	2	SITE PLOT PLAN	3
	3	GROUNDWATER CONTOUR MAP	6

1.0 INTRODUCTION

ERT, Inc. measured water levels in thirteen (13) monitoring wells on June 6, 1988 and collected water samples from ten (10) monitoring wells between June 6 and June 8, 1988 at the Powerine Oil Company refinery located at 12354 Lakeland Road, Santa Fe Springs, California (Figures 1 and 2). The samples were analyzed to evaluate the concentrations of purgeable halocarbon and purgeable volatile organic compounds. This work was performed to comply with the requirements of the Regional Water Quality Control Board. Los Angeles Region (RWQCB) for quarterly sampling, and analytical testing monitoring, groundwater beneath the refinery. This report summarizes the field procedures, laboratory analyses, and analytical results for the second quarter of 1988.



FX-9 Wells

2.0 GROUNDWATER MONITORING AND SAMPLING

2.1 Water-Level Monitoring

Water-level monitoring was performed on June 6, 1988 using a Solinst water level meter in wells containing water only, and a stainless steel tape, water gauging paste, and gasoline gauging paste in wells containing free product (MW-501, MW-504). Monitoring equipment was decontaminated following each measurement. The decontamination procedure consisted of a tap water rinse, a thorough scrubbing using a non-phosphatic detergent in tap water, a second tap water rinse, and a final rinse using distilled water obtained from a State-certified analytical laboratory.

Groundwater monitoring results are summarized in Table 1 and are illustrated on the groundwater contour map in Figure 3. Groundwater elevations ranged from 37.19 feet above MSL in MW-502 to 53.65 feet above MSL in MW-104. The water table gradient slopes southwesterly across the site.

Monitoring well MW-202 was again observed to be dry. Monitoring well MW-504 contained 1.8 feet of free product and, significantly, MW-501 contained 1.3 feet of free product on the upper surface of the perched aquifer. Therefore, water samples were not extracted from these monitoring wells. The depth to groundwater was not measured in monitoring well MW-102 because the well was reportedly destroyed sometime prior to July, 1987.

TABLE 1
SUMMARY OF WATER-LEVEL MONITORING DATA

MW* <u>No</u> .	<u>Date</u>	Elevation Top of Casing (feet,MSL)	Depth to Water <u>(feet)</u>	Water Level Elevations (feet,MSL)	Free Product (feet)
101	06/06/88	134.98	88.66	46.32	ND
102	06/06/88	134.81	a	a	a
103	06/06/88	136.95	93.36	43.59	ND
104	06/06/88	141.60	87.95	53.65	ND
201	06/06/88	132.91	90.05	42.86	ND
202	06/06/88	137.89	b	þ	ND .
203	06/06/88	143.89	95.98	47.91	ND
204	06/06/88	140.14	94.95	45.19	ND
205	06/06/88	138.17	90.15	48.02	ND
206	06/06/88	129.93	92.37	37.56	ND
501	06/06/88	128.70	92.46	36.24 (37.21) ^C	1.3 (ND)d
502	06/06/88	131.19	94.00	37.19	ND
503	06/06/88	131.43	92.55	38.88	ND
504	06/06/88	133.83	92.56	41.27 (42.64) ^C	1.83 (1.83) ^d

KEY

ND = Not Detected

a = Destroyed

b = Dry Well

d = Thickness of free product, previous quarter

^{* =} Monitoring Well

FX-9 Wells

2.2 GROUNDWATER SAMPLING

Ten (10) monitoring wells were sampled between June 6 and 8, 1988. Sampling began with monitoring wells MW-101 and MW-103, which were purged with a hand bailer because the water volume in these wells was insufficient to use an electrical submersible pump. The remaining monitoring wells were sampled starting with monitoring well MW-205, which contained water with the lowest reported concentrations of hydrocarbon compounds, and proceeded sequentially to wells with progressively higher reported concentrations. This sampling sequence was followed in order to minimize the potential for cross contamination between wells. The production well (P-6 on Figure 2) was not sampled since its associated holding tank was being repaired during the time of monitoring and sampling.

Before a sample was extracted, each well was purged of approximately four (4) well volumes of water using either a 1/3-horsepower Grundfos submersible pump, or a Teflon hand bailer. Upon removal of four (4) well volumes, the water's pH, temperature, and conductivity were measured and recorded. Purged water was discharged into 55-gallon drums to be later disposed of by refinery personnel.

After purging, water samples were extracted from the monitoring wells using a decontaminated Teflon bailer. Samples were placed into two (2) 40-milliliter VOA vials. The VOA vials are clear and pretreated with HCl, which inhibits the biodegradation of volatile aromatic compounds. All samples were properly labeled and immediately placed on ice in a portable cooler. In addition, two (2) sample blanks consisting of distilled water obtained from a State-certified laboratory were collected (MW-001, MW-002). These samples blanks were extracted from the same Teflon bailer used to sample the monitoring wells. Monitoring well MW-501 and MW-504 contained free product and, therefore, were not sampled.

All equipment used to purge and sample the monitoring wells was decontaminated after each well was sampled. The decontamination procedure consisted of a tap water rinse, a thorough scrubbing in tap water and non-phosphatic detergent, a second tap water rinse, and a final rinse using distilled water.

A summary of the data recorded while sampling the monitoring wells is presented in Table 2. Conductivity values ranged from 1,850 umhos/cm in MW-503 to 4,800 umhos/cm in MW-104 and, in general, demonstrated decreasing values across the site from the northeast to the southwest. The measurements of water pH ranged from 5.2 in MW-503 to 7.4 in MW-101.

TABLE 2
SUMMARY OF GROUNDWATER SAMPLING DATA

MW* No.	<u>Time</u>	Purge <u>Method</u>	Volume Purged (gals.)	Temp.	Нq	Electrical Conductivity (umhos/cm)	Water <u>Turb.</u>
101	06/06/88 (14:05)	нв	0.75	20	7.4	2440	gray, v.
103	06/06/88 (16:00)	НВ	5.25	24	7.2	3120	gray,sl. cloudy
104	06/07/88 (12:30)	SP	20	22	5.8	4800	clear to sl. cloudy
201	06/07/88 (16:55)	SP	25	22	5.8	2180	clear to sl. cloudy
202	a	a	a	a	a	a	a
203	06/07/88 (15:55)	SP	25	21	6.8	3150	clear to sl. cloudy
204	06/07/88 (14:45)	SP	20	24	5.6	2200	sl. cloudy
205	06/07/88 (11:15)	SP	20	26	5.8	2050	gray to sl. cloudy
206	06/08/88 (11:05)	SP	25-30	22	6.7	2170	sl. cloudy
501	b	b	b	b	b	b	b

Table 2 (continued)

Summary of Groundwater Sampling Data

MW*	<u>Time</u>	Purge <u>Method</u>	Volume Purged (gals.)	Temp.	Нq	Electrical Conductivity (umhos/cm)	Water Turb.
502	06/08/88 (9:55)	SP	40	22	6.4	2570	clear to sl. cloudy
503	06/08/88 (17:55)	SP	40	22	5.2	1850	clear
504	þ	þ	b	b	b	b	b

<u>KEY</u>

= Monitoring well
= Insufficient water in well

= Not sampled due to presence of free product in well b

HB = Hand bailer

SP = Submersible pump

sl. = Slightly

= Very

Turb= Turbidity

3.0 LABORATORY ANALYSIS

All samples were submitted to Chemical Research Laboratories, Inc., a California-certified analytical laboratory, for analysis using EPA Test Methods 601 and 624. Standard chain-of-custody procedures and documents were utilized (Appendix A). Test methods were performed following EPA monitored quality assurance/quality control procedures assuring results of laboratory analyses.

3.1 EPA Test Method 601

EPA Method 601 is a purge and trap gas chromatographic applicable to the determination of halocarbons from water samples as prescribed by 40 CFR 136.1. An inert gas is bubbled through a 5-ml water sample contained in a specifically-designed purging chamber and maintained at ambient temperature from the aqueous phase to the water vapor The vapor is swept through a sorbent trap where the halocarbons are trapped. After purging is completed, the trap is heated and backflushed with the inert gas to desorb the halocarbons which are then detected with a halide specific detector. Two field reagent blanks were prepared from reagent water and carried through the sampling and handling protocol to check for possible contamination. Standard operating procedures require that compound identification should be supported by at least one additional qualitative technique, such as EPA Method 624.

3.2 EPA Test Method 624

EPA method 624 is a purge and trap gas chromatographic/mass spectrometer (GC/MS) method applicable to the determination of purgeable organics from water samples, and is also prescribed by 40 CRF 136.1. An inert

gas is bubbled through a 5-ml sample contained in a specifically designed purging chamber at ambient temperature. The purgeables are efficiently transferred from the aqueous phase to the vapor phase. The vapor is swept through a sorbent column where the purgeables are trapped. After purging is completed, the sorbent column is heated and backflushed with the inert gas to desorb the purgeables into a gas chromatographic column. The gas chromatograph is temperature programmed to separate the purgeables which are then detected with a mass spectrometer. Two field reagent blanks were prepared from reagent water and carried through the sampling and handling protocol to check for possible contamination.

4.0 ANALYTICAL RESULTS

All analytical results are presented on the Laboratory Results of analyses for benzene, Reports in Appendix B. toluene, ethylbenzene, and total xylenes (BTEX) performed for this and the previous seven quarterly reports are summarized Results of analyses for purgeable halocarbons on Table 3. are summarized on Table 4. In water samples extracted from the ten (10) monitoring wells, benzene concentrations ranged from non-detected (less than 5 ug/L) to 9,500 ug/L, toluene concentrations ranged from non-detected (less than 5 ug/L) to 2,400 ug/L, ethylbenzene concentrations ranged from nondetected (less than 5 ug/L) to 2,100 ug/L, concentrations of total xylenes ranged from non-detected (less than 5 ug/L) to 4,900 ug/L. BTEX concentrations did not exceed the method detection limits (5 ug/L) in sample blanks MW-001 and MW-002.

Concentrations of volatile organic compounds were highest in water samples collected from monitoring wells MW-502, MW-206, MW-503, MW-201, MW-103, and MW-101, respectively. Benzene concentrations in these samples were 9,500 ug/L, 5,800 ug/L, 600 ug/L, 1,000 ug/L, 970 ug/L and 620 ug/L, respectively. Toluene concentrations of the samples collected in MW-201, MW-206, MW-502, and MW-503 ranged from 140 ug/L to 2,400 ug/L; ethylbenzene concentrations ranged from none detected to 2,100 ug/L; and total xylene concentrations ranged from 250 ug/L to 4,900 ug/L.

The concentrations of other volatile organic compounds detected in water samples analyzed this quarter were relatively low with the exception of the acetone concentrations detected in samples from six (6) monitoring wells (Table 5). Significant acetone concentrations ranging from 870 ug/L to 2,500 ug/L were observed in MW-101, MW-103, MW-201, MW-206, and MW-503 long the west side of the

TABLE 3 SUMMARY OF ANALYTICAL TEST RESULTS VOLATILE ORGANIC COMPOUNDS (Values in ug/L)

MW <u>No</u> .	<u>Date</u>	<u>Benzene</u>	Ethyl <u>benzene</u>	<u>Toluene</u>	Total <u>Xylene</u>
101	June 88	620	ND<50	ND<50	100
	Mar. 88	340	ND<100	ND<100	ND<100
	Dec. 87	140	ND<5	ND<5	ND<5
	Sept.87	340	37	ND<30	ND<30
	June.87	43	1.6	0.5	2.6
	Jan/Feb 87	3	2.5	TR<1	TR<1
	Nov. 86	62	3.3	1.4	1.5
	July 86	58	TR<5	ND<1	ND<1
103	June 88	970	ND<50	74	ND-50
103					ND<50
	Mar. 88	ND<5	ND<5	ND<5	ND<5
	Dec. 87	12	ND<5	ND<5	ND<5
	Sept.87	120	ND<5	ND<5	ND<5
	June 87	69	1.3	1.1	3.5
	Jan/Feb 87	180	1.0	1.0	3.9
	Nov. 86	78	ND<1	2.2	5.7
	July 86	TR4	ND<1	ND<1	ND<1
104	June 88	ND<5	ND<5	ND<5	ND<5
	Mar. 88	110	23	68	17
	Dec. 87	ND<5	ND<5	ND<5	ND<5
	Sept.87	ND<5	ND<5	ND<5	ND<5
	June 87	0.6	ND<0.5	0.5	1.5

Table 3 (continued)

Summary of Analytical Test Results Volatile Organic Compounds

MW <u>No</u> .	<u>Date</u>	Benzene	Ethyl <u>benzene</u>	<u>Toluene</u>	Total <u>Xylene</u>
104	(continued) Jan/Feb. 87	ND<1	ND<1	ND<1	ND<1
	Nov. 86	ND<1	ND<1	ND<1	ND<1
	July 86	ND<1	ND<1	ND<1	ND<1
201	June 88	1000	ND<50	150	250
	Mar. 88	5600	260	880	1400
	Dec. 87	290	ND<5	6	142
	Sept.87	120	9	12	12
	June 87	290	23	12	39
	Jan/Feb 87	70	5.0	4.0	15
	Nov. 86	68	10	10	32
	July 86	ND<1	ND<1	ND<1	ND<1
203	June 88	46	ND<5	ND<5	ND<5
	Mar. 88	103	ND<5	ND<5	ND<5
	Dec. 87	120	ND<5	ND<1	ND<1
	Sept.87	92	ND<5	ND<5	ND<5
	June 87	1.0	1.6	0.7	2.9
	Jan/Feb 87	78	TR<1	1.0	3.4
	Nov. 86	88	TR<1	1.4	1.9
	July 86	50	ND<1	TR6	18

Table 3 (continued)

Summary of Analytical Test Results Volatile Organic Compounds

MW <u>No</u>	<u>Date</u>	<u>Benzene</u>	Ethyl <u>benzene</u>	<u>Toluene</u>	Total Xylene
204	June 88	19	ND<5	ND<5	ND<5
	Mar. 88	120	ND<20	ND<20	ND<20
	Dec. 87	9	ND<5	ND<5	ND<5
	Sept.87	18	ND<5	ND<5	ND<5
	June 87	45	2.8	0.7	3.4
	Jan/Feb 87	9.2	2.6	TR<1	2.3
	Nov. 86	260	15	6.7	41
	July 86	TR<9	ND<1	ND<1	ND<1
205	June 88	13	ND<5	ND<5	ND<5
	Mar. 88	74	ND<5	ND<5	8
	Dec. 87	ND<5	ND<5	ND<5	ND<5
	Sept.87	ND<5	ND<5	ND<5	ND<5
	June 87	3.6	0.5	0.6	1.5
	Jan/Feb 87	4.3	TR<1	ND<1	1.2
	Nov. 86	7.5	ND<1	ND<1	1.5
	July 86	13	ND<1	ND<1	ND<1
206	June 88	5800	2100	2400	4900
	Mar. 88	6400	3400	3900	7300
	Dec. 87	7400	900	2300	5000
	Sept.87	4100	1300	930	4000

Table 3 (continued)

Summary of Analytical Test Results Volatile Organic Compounds

MW No.	<u>Date</u>	<u>Benzene</u>	Ethyl <u>benzene</u>	<u>Toluene</u>	Total <u>Xylene</u>
206	(continued) June 87	3700	1300	1300	3200
	Jan/Feb 87	4500	1100	1800	3600
	Nov. 86	6800	1800	2700	7100
	July 86	3800	TR82	1800	9000
501	June 88	•	Free produc	t present	
	Mar. 88	4900	11000	9100	8200
	Dec. 87	8300	400	2000	1100
	Sept.87	1400	170	ND<50	ND<50
	June 87	2200	210	40	78
	Jan/Feb 87	1500	160	TR<50	74
	Nov. 86	1500	210	67	140
	July 86	1400	290	51	470
502	June 88	950	62	79	16
	Mar. 88	3600	120	400	2700
	Dec. 87	13000	900	1200	4800
	Sept.87	8400	1300	1700	5500
	June 87	13000	1400	2100	5600
	Jan/Feb 87	6300	960	1700	5200
	Nov. 86	6200	1500	4100	8500
	July 86	10000	1200	4100	6900

Table 3 (continued)

Summary of Analytical Test Results - Volatile Organic Compounds

MW No.	<u>Date</u>			Benzene	Ethyl <u>benzene</u>	<u>Toluene</u>	Total <u>Xylene</u>
503	June	88		600	340	140	600
	Mar.	88		2700	1300	1300	2400
	Dec.	87		220	ND<10	44	660
	Sept.	87		53	280	76	390
	June	87		620	330	360	510
	Jan/F	eb 87		TR<25	440	956	90
	Nov.	86		95	940	290	1600
	July	86		140	ND<1	ND<1	740
P-6	June Mar.		- -	Not opera			
	Sept			ND<5	ND<5	ND<5	ND<5
001*	June	88		ND<5	ND<5	ND<5	ND<5
002*	June	88		ND<5	ND<5	ND<5	ND<5

<u>KEY</u>

MW = Monitoring Well

ND = This compound was not detected; the limit of detection for this analysis is the amount stated in the table above.

TR = Trace

* = Sample Blank

Data from July 1986 to September 1987 from IT Corporation Report (October, 1987).

TABLE 4
SUMMARY OF ANALYTICAL TEST RESULTS PURGEABLE HALOCARBON COMPOUNDS

Monitoring Well Number	Concentration Compounds Detected	(ug/L)
101*	None Detected	
103*	None Detected	
104	None Detected	
201*	None Detected	
203	trans-1,2-Dichloroethane	24
204	1,2-Dichloroethane	9
205	trans-1,2-Dichloroethane 1,2-Dichloroethane	2 2
206*	None Detected	
502*	None Detected	
503*	None Detected	
001**	None Detected	
002**	None Detected	

<u>KEY</u>

- * A higher than normal detection limit of 10 ug/L, 20 ug/L, or 50 ug/L was used due to matrix interference.
- ** Sample Blank

refinery and 200 ug/L in MW-203. Acetone concentrations decreased to non-detected levels (10 ug/L) in monitoring wells MW-104, MW-204, and MW-205 from the previous quarter (March, 1988). The production well P-6 was not available for sampling; therefore, any changes in acetone concentrations occurring during the quarterly sampling period could not be evaluated. A potential source area for the acetone in groundwater beneath the site appears to be from the west. The acetone source is not interpreted to occur onsite due to the observed increase in acetone concentration in the west onsite monitoring wells. There is currently no use or storage of acetone at the refinery, therefore there is no known source except offsite.

TABLE 5
SUMMARY OF ACETONE CONCENTRATIONS

EPA METHOD 624
(Values in ug/L)

	Acetone Concentration	Acetone Concentration	Acetone Concentration	
	June 1988	March 1988	December 1987	
MW-No. 101	870	ND	ND	
103	1,100	50	ND	
104	ND	33	ND	
201	1,700	ND	ND	
203	200	71	ИД	
204	ND	400	ИД	
205	ND	190	240	
206	2,500	ND	ND	
502	ИD	ND	1,700	
503	1,700	503	ND	
P-6	NA	NA	45	

<u>KEY</u>

NA = Not Analyzed (Well could not be sampled.)

ND = Not Detected. Method detection limit is 10 ug/L.

X

5.0 CONCLUSIONS

The monitoring and analytical results derived in the second quarter of 1988 reveal several deviations from previous quarters (Tables 3, 4, and 5). Analysis of the most recent results compared with the results from the previous quarter (April, 1988) indicate the following:

- o Detection of 1.3 feet of free product in monitoring well MW-501.
- o Thickness of free product in monitoring well MW-504 is unchanged at 1.8 feet.
- Benzene concentrations decreased in MW-104, MW-201, MW-203, MW-204, MW-205, MW-206, MW-502, and MW-503; and increased in MW-101 and MW-103.
- o Toluene concentrations remained not detected in MW-101, MW-203, MW-204, and MW-205; decreased in MW-104, MW-201, MW-206, MW-502 and MW-503; and increased in MW-103.
- o Ethylbenzene concentrations were not detected in MW-101, MW-103, MW-104, MW-201, MW-203, MW-204, and MW-205; decreased in MW-206, MW-502, and MW-503.
- o Total xylene concentrations were nearly unchanged in MW-103, MW-203, and MW-204; decreased in MW-201, MW-205, MW-206, MW-502, and MW-503; and increased in MW-101.
- Acetone concentrations decreased in MW-104, MW-204, MW-205 and MW-502, but increased significantly in MW-101, MW-103, MW-201, MW-203, MW-206, and MW-503.
- o In general, analytical results of water samples from monitoring wells MW-104, MW-201, MW-203, MW-204, MW-205, and MW-206 remain consistent with the results from previous quarters.
- o Analytical results of water samples from monitoring wells MW-502 and MW-503 exhibited a slight decrease in overall BTEX levels.
- o Analytical results of water samples from monitoring wells MW-101 and MW-103 exhibited a slight increase in overall BTEX levels.

Respectfully submitted,

ERT, INC.

Mark R. Wood

Project, Hydrogeologist

Mad Wood for

Daniel C Oliver Project Manager

James B. Watson

Manager Environmental Programs

6.0 REFERENCES

Bellar, T.A., and Lichtenberg, J. J. 1974. Journal American Water Works Association. Volume 66.

Bellar, T.A. and Lichtenberg, J. J. 1978. "Semi-Automated Headspace Analysis of Drinking Waters and Industrial Waters for Purgeable Volatile Organic Compounds", Proceedings from Symposium on Measurement of Organic Pollutants in Water and Wastewater, American Society for Testing and Materials, STP 686, C.E. Van Hall, editor.

Gibb, J. P., Schuller, R. M. and Griffin, R. A. 1981. Procedures for the Collection of Representative Water Quality Data from Monitoring Wells. Cooperative Groundwater Report 7, Illinois State Water Survey and Illinois State Geologic Survey, Champaign, Illinois.

IT Corporation. October, 1987. Quarterly Progress Report, Powerine Refinery, Santa Fe Springs, California.

Unwin, Jay. 1986. Investigation for Purging Groundwater Monitoring Wells and Sampling Groundwater for Volatile Organic Compounds. Presented at the ASTM Symposium on Field Methods for Groundwater Contamination Studies and Their Standardization, Cocoa Beach, Florida, February 2-7, 1986.

United States Environmental Protection Agency. 1986. RCRA Ground-Water Monitoring Technical Enforcement Guidance Document. OSWER-9950.1, Washington, D.C.

United States Geological Survey. 1980. National Handbook of Recommended Methods for Water-Data Acquisition, Chapter 2, "Groundwater," Reston, Virginia.

APPENDIX A CHAIN-OF-CUSTODY DOCUMENTS

CHA	IN OF CUS	TODY RE	CURL			1							
	Client/Project Name Project Location Santa Fe Springs, CA ANALYSES Project No. Field Logbook No.												
Project No.	No					7." ,	,	7	, , ,	/	į		
5500-002-210				/(" / ¬								
Sampler: (Signature) Chain of Custod	y Tape No.			7¢	1/1	7							
Mark R. Wood			/	/ /9 /	/ ও/		/	/	/ /	•			
Sample No./ Identification Date Time Number	Type Sam		K		*/					REM	ARKS		
MW-101 6/4/882:05/1	water		7	X									
MW-103 (4:00 SH	<u> </u>								120	erkine Bettt	گر دی ر آج دی ر		
MW-001 1 4:1574										naikings on bottles			
MW-205 6/7/88 11:15										11			
MW-104 1 12:30													
MW-204 14:45													
MW-203 15:55			V	₩									
MW-Z01 16:55			X	X						ł			
Relinquished by: (Signature)	Date Ci /7/88	Time 18.55	Recei	ved by:	(Signat	ture)				Date	Time		
Relinquished by: (Signature)	Date	Time	Recei	ved by:	(Signat	ture)				Date	Time		
Relinquished by: (Signature)	Date	Time	Recei	ved for	Labor	Hory: 15	Signate	ure)		Date (6/07/	Time 88 6:55 P		
Sample Disposal Method:	Disposed	of by: (Sign	ature)	1/1	7/1					Date	Time		
SAMPLE COLLECTOR A Word ERT Inc. 19182 Mac Ar Hinr Blud, Sut 34. Irvine CA 92715	ANALYTICA CR	AL LABORA Environme 33 Industri	€ 16 ental Re		87/ and Te	echnole	L/<	, c.		E	RT		
Irvine CA 92715	5	Wilmington 617-657-4	MA							Nº	21316		

CHAIN OF CUSTODY RECORD

Project No. SANTA FE SPRINGS, CA ANALYSES Field Logbook No.	
Project No. Field Logbook No.	
5500-002-210	
Sampler: (Signature) Chain of Custody Tape No.	
Mark R. Word	
Sample No./ Identification Date Time Chain of Custody Tape No. Chain of Custody Tape No. Type of Sample Sample REMA	RKS
MW-503 6/7/88 17:55 WATER XX	
Relinquished by: (Signature) Date Time Received by: (Signature) Date	Time
March 11 21 4/7/88 18.57	
Relinquished by: (Signature) Date Time Received by: (Signature) Date	Time
Relinquished by: (Signature) Date Time Received for Labogatory: (Signature) Date	Time
V/ 1acs 6/07/83	6:55 pr
Sample Disposal Method: Disposed of by: (Signature) Date	Time
SAMPLE COLLECTOR ANALYTICAL LABORATORY	
M, WaoD CRL #E1026876 MLK Environmental Research and Technology, Inc.	KI
ERT, INC. 33 Industrial Way Wilmington, MA 01887	
I WERL MITCHAN OUD AND AND AND AND AND AND AND AND AND AN	21317

CHAIN OF CUSTODY RECORD

	roject Location	•	. A				А	NALYS	SES	/	/
Project No. SANTAFE SPINGS, CA				/	7	, 	7	7	 /	-	
	. Logook IIIo.				,	/ /	/ /	/ /	/ /		
5500-002-210	(O (T - N			/ .	. /.						
Sampler: (Signature) Mark R. Wood Chain	of Custody Tape N	10.)	/ ,	/ ,	/ /		
Sample No./ Identification Date Time Number	I	Type of Sample		SP W	1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /					REMA	RKS
MW-502 6/8/88 9:55	WATER	_	×	> <							
MW-206 6/8/88 11:05	WATER		×	×							
MW-0016/8/88 11:15	WATER		×	×							
		i									
·								ļ. <u></u>			· · · · · · · · · · · · · · · · · · ·
Relinquished by: (Signature) Mark A. Wirth	Date (4/8/	188 1/1:12	Rece	ived by	: (Sign	ature)				Date	Time
Relinquished by: (Signature)	Date	Time	Rece	ived by	: (Sign	ature)				Date	Time
Relinquished by: (Signature)	Date	Time	Rece	ived for	Labor	ratory:	(Signa	turel		Date	Time
					Hon		mly			6/1/28	4:10m
Sample Disposal Method:	Dispo	sed of by: (Sig	nature)	···	100 N		7			Date	Time
SAMPLE COLLECTOR	ANALY	YTICAL LABOR	ATORY								
MARK WOOD Environmental Research and Technology Inc		CRL # E1026876 MLK							ERT		
Environmental Research and Technology, Inc. 国内国际 国内 国内 国内 国内 国内 国 I S S S S S S S S S S	d.	MW-001 - SHOULD BE MW-002									
GRANDEN STANSEN STANSE	I M	on tilien	w/ w/	nout	BE.	. I	MW - 4:55	002 Fm	G/P/87	Nº	8832

APPENDIX B

LABORATORY REPORTS



SOUTHERN CALIFORNIA DIVISION
7440 Lincoln Way ● Garden Grove, CA 92641
(714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

RECEIVED JUL 6 1988 ERT-IRVINE

June 30, 1988

ERT
19782 MacArthur Blvd., Ste. 365
Irvine, CA 92715
ATTN: Mark Wood

ANALYSIS NO.: 815931-001/009 ANALYSES: EPA Method 601/624 DATE SAMPLED: 06/06-07/88 DATE SAMPLE REC'D: 06/07/88 PROJECT: 5500-002-210

> Quarterly Sampling Santa Fe Springs

Enclosed with this letter is the report on the chemical and physical analyses on the samples from ANALYSIS NO: 815931-001/009 shown above.

The samples were received by CRL in a chilled state, intact, and with the chain-of-custody record attached.

Verbals for EPA Method 624 were given on June 8, 1988.

Please note that ND() means not detected at the detection limit expressed within the parentheses.

Lindermann

APPROVED



SOUTHERN CALIFORNIA DIVISION
7440 Lincoln Way ● Garden Grove, CA 92641
(714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

RECEIVED JUL 7 1988 ERT-IRVINE

June 30, 1988

E.R.T, INC.

19782 MacArthur Blvd., Suite 365 ANALYSES: EPA Methods 601, 624

Irvine, CA 92715

ATTN: Mr. Mark Wood

ANALYSIS NO.: 816011-001/003

DATE SAMPLED: 06/08/88

DATE SAMPLE REC'D: 06/08/88

PROJECT: 5500-002-210 Quarterly Sampling

Santa Fe Springs, CA

Enclosed with this letter is the report on the chemical and physical analyses on the samples from ANALYSIS NO: 816011-001/003 shown above.

The samples were received by CRL in a chilled state, intact, and with the chain-of-custody record attached.

Please note that ND() means not detected at the detection limit expressed within the parentheses.

Tindemann REVIEWED

APPROVED



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-101

ANALYSIS NO.: 815931-001 ANALYSES: EPA Method 601

DATE SAMPLED: 06/06/88

DATE SAMPLE REC'D: 06/07/88
DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

EPA METHODS 601/8010 HALOGENATED VOLATILE ORGANICS

	(ug/L)		(ug/L)
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(10.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(10.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(10.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(10.)
Methylene Chloride	ND(10.)	1,1,2-Trichloroethane	ND(10.)
1,1-Dichloroethene	ND(10.)	Cis-1,3-Dichloropropene	ND(10.)
1,1-Dichloroethane	ND(10.)	2-Chloroethylvinylether	ND(10.)
Trans-1,2-Dichloroethene	ND(10.)	Bromoform	ND(10.)
Chloroform	ND(10.)	Tetrachloroethene	ND(10.)
1,2-Dichloroethane	ND(10.)	1,1,2,2-Tetrachloroethane	ND(10.)
1,1,1-Trichloroethane	ND(10.)	Chlorobenzene	ND(10.)
Carbon Tetrachloride	ND(10.)	Bromodichloromethane	ND(10.)
1,2-Dichlorobenzene	ND(10.)	1,3-Dichlorobenzene	ND(10.)
Trichlorofluoromethane	ND(10.)	1,4-Dichlorobenzene	ND(10.)

NOTE: Higher detection limits is due to matrix interference.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-101

ANALYSIS NO.: 815931-001 ANALYSES: EPA Method 624

DATE SAMPLED: 06/06/88

DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/14/88 SAMPLE TYPE: Liquid

PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

EPA METHODS 624/8240 VOLATILE ORGANICS

	<u>(ug/L)</u>		<u>(ug/L)</u>
Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane Trans-1,2-Dichloroethene Chloroform 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Vinyl Acetate Bromodichloromethane	ND(100.) ND(100.) ND(100.) ND(100.) ND(50.) 870. ND(50.)	1,2-Dichloropropane Trans-1,3-Dichloropropene Trichloroethene Dibromochloromethane 1,1,2-Trichloroethane Benzene cis-1,3-Dichloropropene 2-Chloroethylvinyl ether Bromoform 4-Methyl-2-Pentanone 2-Hexanone Tetrachloroethene 1,1,2,2-Tetrachloroethane Toluene Chlorobenzene Ethylbenzene Styrene	ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(100.) ND(100.) ND(100.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.)
	3.2 (337)	Total Xylenes	100.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715

ATTN: Mark Wood

SAMPLE ID.: MW-103

ANALYSIS NO.: 815931-002 ANALYSES: EPA Method 601

DATE SAMPLED: 06/06/88

DATE SAMPLE REC'D: 06/07/88
DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

EPA METHODS 601/8010 HALOGENATED VOLATILE ORGANICS

	(ug/L)		(ug/L)
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(10.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(10.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(10.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(10.)
Methylene Chloride	ND(10.)	1,1,2-Trichloroethane	ND(10.)
1,1-Dichloroethene	ND(10.)	Cis-1,3-Dichloropropene	ND(10.)
1,1-Dichloroethane	ND(10.)	2-Chloroethylvinylether	ND(10.)
Trans-1,2-Dichloroethene	ND(10.)	Bromoform	ND(10.)
Chloroform	ND(10.)	Tetrachloroethene	ND(10.)
1,2-Dichloroethane	ND(10.)	1,1,2,2-Tetrachloroethane	ND(10.)
1,1,1-Trichloroethane	ND(10.)	Chlorobenzene	ND(10.)
Carbon Tetrachloride	ND(10.)	Bromodichloromethane	ND(10.)
1,2-Dichlorobenzene	ND(10.)	1,3-Dichlorobenzene	ND(10.)
Trichlorofluoromethane	ND(10.)	1,4-Dichlorobenzene	ND(10.)

NOTE: Higher detection limits is due to matrix interference.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-103

ANALYSIS NO.: 815931-002

ANALYSES: EPA Method 624 DATE SAMPLED: 06/06/88

DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/14/88 SAMPLE TYPE: Liquid

PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	<u>(ug/L)</u>		<u>(ug/L)</u>
Chloromethane	ND(100.)	1,2-Dichloropropane	ND(50.)
Bromomethane	ND(100.)	Trans-1,3-Dichloropropene	ND(50.)
Vinyl Chloride	ND(100.)	Trichloroethene	ND(50.)
Chloroethane	ND(100.)	Dibromochloromethane	ND(50.)
Methylene Chloride	ND(50.)	1,1,2-Trichloroethane	ND(50.)
Acetone	1,100.	Benzene	970.
Carbon Disulfide	ND(50.)	cis-1,3-Dichloropropene	ND(50.)
1,1-Dichloroethene	ND(50.)	2-Chloroethylvinyl ether	ND(100.)
1,1-Dichloroethane	ND(50.)	Bromoform	ND(50.)
Trans-1,2-Dichloroethene	ND(50.)	4-Methyl-2-Pentanone	ND(100.)
Chloroform	ND(50.)	2-Hexanone	ND(100.)
1,2-Dichloroethane	ND(50.)	Tetrachloroethene	ND(50.)
2-Butanone	ND(100.)	1,1,2,2-Tetrachloroethane	ND(50.)
1,1,1-Trichloroethane	ND(50.)	Toluene	74.
Carbon Tetrachloride	ND(50.)	Chlorobenzene	ND(50.)
Vinyl Acetate	ND(100.)	Ethylbenzene	ND(50.)
Bromodichloromethane	ND(50.)	Styrene	ND(50.)
	•	Total Xylenes	ND(50.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

AIIN: Maik Wood

SAMPLE ID.: MW-104

ANALYSIS NO.: 815931-005

ANALYSES: EPA Method 601 DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88
DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		(ug/L)
Chloromethane	ND(1.)	1,2-Dichloropropane	ND(1.)
Bromomethane	ND(1.)	Trans-1,3-Dichloropropene	ND(1.)
Vinyl Chloride	ND(1.)	Trichloroethene	ND(1.)
Chloroethane	ND(1.)	Dibromochloromethane	ND(1.)
Methylene Chloride	ND(1.)	1,1,2-Trichloroethane	ND(1.)
1,1-Dichloroethene	ND(1.)	Cis-1,3-Dichloropropene	ND(1.)
1,1-Dichloroethane	ND(1.)	2-Chloroethylvinylether	ND(1.)
Trans-1,2-Dichloroethene	ND(1.)	Bromoform	ND(1.)
Chloroform	ND(1.)	Tetrachloroethene	ND(1.)
1,2-Dichloroethane	ND(1.)	1,1,2,2-Tetrachloroethane	ND(1.)
1,1,1-Trichloroethane	ND(1.)	Chlorobenzene	ND(1.)
Carbon Tetrachloride	ND(1.)	Bromodichloromethane	ND(1.)
1,2-Dichlorobenzene	ND(1.)	1,3-Dichlorobenzene	ND(1.)
Trichlorofluoromethane	ND(1.)	1,4-Dichlorobenzene	ND(1.)



SOUTHERN CALIFORNIA DIVISION
7440 Lincoln Way ● Garden Grove, CA 92641
(714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT 19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-104

ANALYSIS NO.: 815931-005 ANALYSES: EPA Method 624

DATE SAMPLED: 06/07/88
DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/14/88 SAMPLE TYPE: Liquid

PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		(ug/L)
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(5.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(5.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(5.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(5.)
Methylene Chloride	ND(5.)	1,1,2-Trichloroethane	ND(5.)
Acetone	ND(10.)	Benzene	ND(5.)
Carbon Disulfide	ND(5.)	cis-1,3-Dichloropropene	ND(5.)
1,1-Dichloroethene	ND(5.)	2-Chloroethylvinyl ether	ND(10.)
1,1-Dichloroethane	ND(5.)	Bromoform	ND(5.)
Trans-1,2-Dichloroethene	ND(5.)	4-Methyl-2-Pentanone	ND(10.)
Chloroform	ND(5.)	2-Hexanone	ND(10.)
1,2-Dichloroethane	ND(5.)	Tetrachloroethene	ND(5.)
2-Butanone	ND(10.)	1,1,2,2-Tetrachloroethane	ND(5.)
1,1,1-Trichloroethane	ND(5.)	Toluene	ND(5.)
Carbon Tetrachloride	ND(5.)	Chlorobenzene	ND(5.)
Vinyl Acetate	ND(10.)	Ethylbenzene	ND(5.)
Bromodichloromethane	ND(5.)	Styrene	ND(5.)
		Total Xylenes	ND(5.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715

ATTN: Mark Wood

SAMPLE ID.: MW-201

ANALYSIS NO.: 815931-008

ANALYSES: EPA Method 601 DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

EPA METHODS 601/8010 HALOGENATED VOLATILE ORGANICS

	<u>(ug/L)</u>		(ug/L)
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(10.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(10.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(10.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(10.)
Methylene Chloride	ND(10.)	1,1,2-Trichloroethane	ND(10.)
1,1-Dichloroethene	ND(10.)	Cis-1,3-Dichloropropene	ND(10.)
1,1-Dichloroethane	ND(10.)	2-Chloroethylvinylether	ND(10.)
Trans-1,2-Dichloroethene	ND(10.)	Bromoform	ND(10.)
Chloroform	ND(10.)	Tetrachloroethene	ND(10.)
1,2-Dichloroethane	ND(10.)	1,1,2,2-Tetrachloroethane	ND(10.)
1,1,1-Trichloroethane	ND(10.)	Chlorobenzene	ND(10.)
Carbon Tetrachloride	ND(10.)	Bromodichloromethane	ND(10.)
1,2-Dichlorobenzene	ND(10.)	1,3-Dichlorobenzene	ND(10.)
Trichlorofluoromethane	ND(10.)	1,4-Dichlorobenzene	ND(10.)

NOTE: Higher detection limits is due to matrix interference.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT 19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-201

ANALYSIS NO.: 815931-008 ANALYSES: EPA Method 624

DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/15/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		<u>(ug/L)</u>
Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane Trans-1,2-Dichloroethene Chloroform 1,2-Dichloroethane 2-Butanone	(ug/L) ND(100.) ND(100.) ND(100.) ND(50.) 1,700. ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.) ND(50.)	1,2-Dichloropropane Trans-1,3-Dichloropropene Trichloroethene Dibromochloromethane 1,1,2-Trichloroethane Benzene cis-1,3-Dichloropropene 2-Chloroethylvinyl ether Bromoform 4-Methyl-2-Pentanone 2-Hexanone Tetrachloroethene 1,1,2,2-Tetrachloroethane	(ug/L) ND(50.) ND(50.) ND(50.) ND(50.) 1,000. ND(50.) ND(100.) ND(100.) ND(100.) ND(100.) ND(50.) ND(50.)
1,1,1-Trichloroethane Carbon Tetrachloride Vinyl Acetate Bromodichloromethane	ND(50.) ND(50.) ND(100.) ND(50.)	Toluene Chlorobenzene Ethylbenzene Styrene Total Xylenes	. 150. ND(50.) ND(50.) ND(50.) 250.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715

ATTN: Mark Wood

SAMPLE ID.: MW-203

ANALYSIS NO.: 815931-007 ANALYSES: EPA Method 601

DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88
DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		(ug/L)
Chloromethane	ND(1.)	1,2-Dichloropropane	ND(1.)
Bromomethane	ND(1.)	Trans-1,3-Dichloropropene	ND(1.)
Vinyl Chloride	ND(1.)	Trichloroethene	ND(1.)
Chloroethane	ND(1.)	Dibromochloromethane	ND(1.)
Methylene Chloride	ND(1.)	1,1,2-Trichloroethane	ND(1.)
1,1-Dichloroethene	ND(1.)	Cis-1,3-Dichloropropene	ND(1.)
1,1-Dichloroethane	ND(1.)	2-Chloroethylvinylether	ND(1.)
Trans-1,2-Dichloroethene	24.	Bromoform	ND(1.)
Chloroform	ND(1.)	Tetrachloroethene	ND(1.)
1,2-Dichloroethane	ND(1.)	1,1,2,2-Tetrachloroethane	ND(1.)
1,1,1-Trichloroethane	ND(1.)	Chlorobenzene	ND(1.)
Carbon Tetrachloride	ND(1.)	Bromodichloromethane	ND(1.)
1,2-Dichlorobenzene	ND(1.)	1,3-Dichlorobenzene	ND(1.)
Trichlorofluoromethane	ND(1.)	1,4-Dichlorobenzene	ND(1.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-203

ANALYSIS NO.: 815931-007 ANALYSES: EPA Method 624

DATE SAMPLED: 06/07/88
DATE SAMPLE REC'D: 06/07/88

DATE SAMPLE REC'D: 06/07/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		<u>(ug/L)</u>
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(5.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(5.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(5.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(5.)
Methylene Chloride	ND(5.)	1,1,2-Trichloroethane	ND(5.)
Acetone	200.	Benzene	46.
Carbon Disulfide	ND(5.)	cis-1,3-Dichloropropene	ND(5.)
1,1-Dichloroethene	ND(5.)	2-Chloroethylvinyl ether	ND(10.)
1,1-Dichloroethane	ND(5.)	Bromoform	ND(5.)
Trans-1,2-Dichloroethene	17.	4-Methyl-2-Pentanone	120.
Chloroform	ND(5.)	2-Hexanone	ND(10.)
1,2-Dichloroethane	ND(5.)	Tetrachloroethene	ND(5.)
2-Butanone	ND(10.)	1,1,2,2-Tetrachloroethane	ND(5.)
1,1,1-Trichloroethane	ND(5.)	Toluene	ND(5.)
Carbon Tetrachloride	ND(5.)	Chlorobenzene	ND(5.)
Vinyl Acetate	ND(10.)	Ethylbenzene	ND(5.)
Bromodichloromethane	ND(5.)	Styrene	ND(5.)
		Total Xylenes	ND(5.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT 19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-204

ANALYSIS NO.: 815931-006 ANALYSES: EPA Method 601 DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88
DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

<u>(ug/L)</u>		(ug/L)
ND(1.)	1,2-Dichloropropane	ND(1.)
ND(1.)	Trans-1,3-Dichloropropene	ND(1.)
ND(1.)	Trichloroethene	ND(1.)
ND(1.)	Dibromochloromethane	ND(1.)
ND(1.)	1,1,2-Trichloroethane	ND(1.)
ND(1.)	Cis-1,3-Dichloropropene	ND(1.)
ND(1.)	2-Chloroethylvinylether	ND(1.)
ND(1.)	Bromoform	ND(1.)
ND(1.)	Tetrachloroethene	ND(1.)
9.	1,1,2,2-Tetrachloroethane	ND(1.)
ND(1.)	Chlorobenzene	ND(1.)
ND(1.)	Bromodichloromethane	ND(1.)
ND(1.)	1,3-Dichlorobenzene	ND(1.)
ND(1.)	1,4-Dichlorobenzene	ND(1.)
	ND(1.) ND(1.) ND(1.) ND(1.) ND(1.) ND(1.) ND(1.) ND(1.) ND(1.) ND(1.) ND(1.) ND(1.)	ND(1.) 1,2-Dichloropropane ND(1.) Trans-1,3-Dichloropropene ND(1.) Trichloroethene ND(1.) Dibromochloromethane ND(1.) 1,1,2-Trichloroethane ND(1.) Cis-1,3-Dichloropropene ND(1.) 2-Chloroethylvinylether ND(1.) Bromoform ND(1.) Tetrachloroethene 9. 1,1,2,2-Tetrachloroethane ND(1.) Chlorobenzene ND(1.) Bromodichloromethane ND(1.) Bromodichloromethane ND(1.) Bromodichlorobenzene



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT 19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715

ATTN: Mark Wood

SAMPLE ID.: MW-204

ANALYSIS NO.: 815931-006

ANALYSES: EPA Method 624 DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/15/88 SAMPLE TYPE: Liquid

PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		<u>(ug/L)</u>
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(5.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(5.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(5.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(5.)
Methylene Chloride	ND(5.)	1,1,2-Trichloroethane	ND(5.)
Acetone	ND(10.)	Benzene	19.
Carbon Disulfide	ND(5.)	cis-1,3-Dichloropropene	ND(5.)
1,1-Dichloroethene	ND(5.)	2-Chloroethylvinyl ether	ND(10.)
1,1-Dichloroethane	ND(5.)	Bromoform	ND(5.)
Trans-1,2-Dichloroethene	ND(5.)	4-Methyl-2-Pentanone	20.
Chloroform	ND(5.)	2-Hexanone	ND(10.)
1,2-Dichloroethane	15.	Tetrachloroethene	ND(5.)
2-Butanone	ND(10.)	1,1,2,2-Tetrachloroethane	ND(5.)
1,1,1-Trichloroethane	ND(5.)	Toluene	ND(5.)
Carbon Tetrachloride	ND(5.)	Chlorobenzene	ND(5.)
Vinyl Acetate	ND(10.)	Ethylbenzene	ND(5.)
Bromodichloromethane	ND(5.)	Styrene	ND(5.)
		Total Xylenes	ND(5.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-205

ANALYSIS NO.: 815931-004 ANALYSES: EPA Method 601 DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88
DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		(ug/L)
Chloromethane	ND(1.)	1,2-Dichloropropane	ND(1.)
Bromomethane	ND(1.)	Trans-1,3-Dichloropropene	ND(1.)
Vinyl Chloride	ND(1.)	Trichloroethene	ND(1.)
Chloroethane	ND(1.)	Dibromochloromethane	ND(1.)
Methylene Chloride	ND(1.)	1,1,2-Trichloroethane	ND(1.)
1,1-Dichloroethene	ND(1.)	Cis-1,3-Dichloropropene	ND(1.)
1,1-Dichloroethane	ND(1.)	2-Chloroethylvinylether	ND(1.)
Trans-1,2-Dichloroethene	2.	Bromoform	ND(1.)
Chloroform	ND(1.)	Tetrachloroethene	ND(1.)
1,2-Dichloroethane	2.	1,1,2,2-Tetrachloroethane	ND(1.)
1,1,1-Trichloroethane	ND(1.)	Chlorobenzene	ND(1.)
Carbon Tetrachloride	ND(1.)	Bromodichloromethane	ND(1.)
1,2-Dichlorobenzene	ND(1.)	1,3-Dichlorobenzene	ND(1.)
Trichlorofluoromethane	ND(1.)	1,4-Dichlorobenzene	ND(1.)



SOUTHERN CALIFORNIA DIVISION
7440 Lincoln Way ● Garden Grove, CA 92641
(714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT 19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-205

ANALYSIS NO.: 815931-004 ANALYSES: EPA Method 624

DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88 DATE ANALYZED: 06/16/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		<u>(ug/L)</u>
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(5.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(5.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(5.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(5.)
Methylene Chloride	ND(5.)	1,1,2-Trichloroethane	ND(5.)
Acetone	ND(10.)	Benzene	13.
Carbon Disulfide	ND(5.)	cis-1,3-Dichloropropene	ND(5.)
1,1-Dichloroethene	ND(5.)	2-Chloroethylvinyl ether	ND(10.)
1,1-Dichloroethane	ND(5.)	Bromoform	ND(5.)
Trans-1,2-Dichloroethene	ND(5.)	4-Methyl-2-Pentanone	ND(10.)
Chloroform	ND(5.)	2-Hexanone	ND(10.)
1,2-Dichloroethane	ND(5.)	Tetrachloroethene	ND(5.)
2-Butanone	ND(10.)	1,1,2,2-Tetrachloroethane	ND(5.)
1,1,1-Trichloroethane	ND(5.)	Toluene	ND(5.)
Carbon Tetrachloride	ND(5.)	Chlorobenzene	ND(5.)
Vinyl Acetate	ND(10.)	Ethylbenzene	ND(5.)
Bromodichloromethane	ND(5.)	Styrene	ND(5.)
		Total Xylenes	ND(5.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way • Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

E.R.T, INC. 19782 MacArthur Blvd., Suite 365 ANALYSES: EPA Method 601

Irvine, CA 92715

ATTN: Mr. Mark Wood

SAMPLE ID: MW - 206

ANALYSIS NO.: 816011-002

DATE SAMPLED: 06/08/88

DATE SAMPLE REC'D: 06/08/88

DATE ANALYZED: 06/09/88

SAMPLE TYPE: Liquid

PROJECT: 5500-002-210 Quarterly Sampling

Santa Fe Springs, CA

EPA METHODS 601/8010 HALOGENATED ORGANICS

	(ug/L)		<u>(ug/L)</u>
Chloromethane	ND(50.)	1,2-Dichloropropane	ND(50.)
Bromomethane	ND(50.)	Trans-1,3-Dichloropropene	ND(50.)
Vinyl Chloride	ND(50.)	Trichloroethene	ND(50.)
Chloroethane	ND(50.)	Dibromochloromethane	ND(50.)
Methylene Chloride	ND(50.)	1,1,2-Trichloroethane	ND(50.)
1,1-Dichloroethene	ND(50.)	Cis-1,3-Dichloropropene	ND(50.)
1,1-Dichloroethane	ND(50.)	2-Chloroethylvinylether	ND(50.)
Trans-1,2-Dichloroethene	ND(50.)	Bromoform	ND(50.)
Chloroform	ND(50.)	Tetrachloroethene	ND(50.)
1,2-Dichloroethane	ND(50.)	1,1,2,2-Tetrachloroethane	ND(50.)
1,1,1-Trichloroethane	ND(50.)	Chlorobenzene	ND(50.)
Carbon Tetrachloride	ND(50.)	Bromodichloromethane	ND(50.)
1,2-Dichlorobenzene	ND(50.)	1,3-Dichlorobenzene	ND(50.)
Trichlorofluoromethane	ND(50.)	1,4-Dichlorobenzene	ND(50.)

Higher detection limit is due to matrix interference. NOTE:



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way • Garden Grove, CA 92641 (714)898-6370 • FAX: (714)891-5917 • (800)LAB-1CRL

LABORATORY REPORT

E.R.T, INC. 19782 MacArthur Blvd., Suite 365 ANALYSES: EPA Method 624

Irvine, CA 92715

ATTN: Mr. Mark Wood

SAMPLE ID: MW - 206

ANALYSIS NO.: 816011-002

DATE SAMPLED: 06/08/88

DATE SAMPLE REC'D: 06/08/88

DATE ANALYZED: 06/20/88

SAMPLE TYPE: Liquid

PROJECT: 5500-002-210 Quarterly Sampling

Santa Fe Springs, CA

	(ug/L)		(ug/L)
Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane Trans-1,2-Dichloroethene	(ug/L) ND(500.) ND(500.) ND(500.) ND(500.) ND(200.) 2,500. ND(200.) ND(200.) ND(200.) ND(200.)	1,2-Dichloropropane Trans-1,3-Dichloropropene Trichloroethene Dibromochloromethane 1,1,2-Trichloroethane Benzene cis-1,3-Dichloropropene 2-Chloroethylvinyl ether Bromoform 4-Methyl-2-Pentanone	(ug/L) ND(200.) ND(200.) ND(200.) ND(200.) ND(200.) 5,800. ND(200.) ND(500.) ND(500.) ND(500.)
Chloroform 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Vinyl Acetate Bromodichloromethane	ND(200.) ND(200.) ND(500.) ND(200.) ND(200.) ND(500.) ND(500.)	2-Hexanone Tetrachloroethene 1,1,2,2-Tetrachloroethane Toluene Chlorobenzene Ethylbenzene Styrene Total Xylenes	ND(5,000.) ND(200.) ND(200.) 2,400. ND(200.) 2,100. ND(200.) 4,900.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way • Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

E.R.T, INC. 19782 MacArthur Blvd., Suite 365 ANALYSES: EPA Method 601

Irvine, CA 92715 ATTN: Mr. Mark Wood

SAMPLE ID: MW - 502

ANALYSIS NO.: 816011-001

DATE SAMPLED: 06/08/88 DATE SAMPLE REC'D: 06/08/88

DATE ANALYZED: 06/09/88

SAMPLE TYPE: Liquid

PROJECT: 5500-002-210 Quarterly Sampling

Santa Fe Springs, CA

EPA METHODS 601/8010 HALOGENATED ORGANICS

	(ug/L)		(ug/L)
Chloromethane	ND(50.)	1,2-Dichloropropane	ND(50.)
Bromomethane	ND(50.)	Trans-1,3-Dichloropropene	ND(50.)
Vinyl Chloride	ND(50.)	Trichloroethene	ND(50.)
Chloroethane	ND(50.)	Dibromochloromethane	ND(50.)
Methylene Chloride	ND(50.)	1,1,2-Trichloroethane	ND(50.)
1,1-Dichloroethene	ND(50.)	Cis-1,3-Dichloropropene	ND(50.)
1,1-Dichloroethane	ND(50.)	2-Chloroethylvinylether	ND(50.)
Trans-1,2-Dichloroethene	ND(50.)	Bromoform	ND(50.)
Chloroform	ND(50.)	Tetrachloroethene	ND(50.)
1,2-Dichloroethane	ND(50.)	1,1,2,2-Tetrachloroethane	ND(50.)
1,1,1-Trichloroethane	ND(50.)	Chlorobenzene	ND(50.)
Carbon Tetrachloride	ND(50.)	Bromodichloromethane	ND(50.)
1,2-Dichlorobenzene	ND(50.)	1,3-Dichlorobenzene	ND(50.)
Trichlorofluoromethane	ND(50.)	1,4-Dichlorobenzene	ND(50.)

Higher detection limit is due to matrix interference. NOTE:



SOUTHERN CALIFORNIA DIVISION
7440 Lincoln Way ● Garden Grove, CA 92641
(714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

E.R.T, INC.
19782 MacArthur Blvd., Suite 365

Irvine, CA 92715 ATTN: Mr. Mark Wood

SAMPLE ID: MW - 502

ANALYSIS NO.: 816011-001

ANALYSES: EPA Method 624

DATE SAMPLED: 06/08/88

DATE SAMPLE REC'D: 06/08/88

DATE ANALYZED: 06/17/88

SAMPLE TYPE: Liquid

PROJECT: 5500-002-210 Quarterly Sampling

Santa Fe Springs, CA

	(ug/L)	,	(ug/L)
Chloromethane	ND(10.)	1,2-Dichloropropane Trans-1,3-Dichloropropene	ND(5.)
Bromomethane	ND(10.)		ND(5.)
Vinyl Chloride Chloroethane	ND(10.) ND(10.) ND(5.)	Trichloroethene Dibromochloromethane 1,1,2-Trichloroethane	ND(5.) ND(5.) ND(5.)
Methylene Chloride Acetone Carbon Disulfide	ND(5.) ND(10.) ND(5.)	Benzene cis-1,3-Dichloropropene	950. ND(5.)
1,1-Dichloroethene 1,1-Dichloroethane	ND(5.) ND(5.)	2-Chloroethylvinyl ether Bromoform	ND(3.) ND(10.) ND(5.)
Trans-1,2-Dichloroethene Chloroform	ND(5.)	4-Methyl-2-Pentanone	ND(10.)
	ND(5.)	2-Hexanone	ND(10.)
1,2-Dichloroethane	ND(5.)	Tetrachloroethene 1,1,2,2-Tetrachloroethane	ND(5.)
2-Butanone	ND(10.)		ND(5.)
1,1,1-Trichloroethane	ND(5.)	Toluene	79.
Carbon Tetrachloride	ND(5.)	Chlorobenzene	ND(5.)
Vinyl Acetate Bromodichloromethane	ND(10.)	Ethylbenzene	62.
	ND(5.)	Styrene	ND(5.)
	(/	Total Xylenes	16.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-503

ANALYSIS NO.: 815931-009 ANALYSES: EPA Method 601 DATE SAMPLED: 06/07/88

DATE SAMPLE REC'D: 06/07/88
DATE ANALYZED: 06/09-10/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

EPA METHODS 601/8010 HALOGENATED VOLATILE ORGANICS

	(ug/L)		<u>(ug/L)</u>
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(10.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(10.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(10.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(10.)
Methylene Chloride	ND(10.)	1,1,2-Trichloroethane	ND(10.)
1,1-Dichloroethene	ND(10.)	Cis-1,3-Dichloropropene	ND(10.)
1,1-Dichloroethane	ND(10.)	2-Chloroethylvinylether	ND(10.)
Trans-1,2-Dichloroethene	ND(10.)	Bromoform	ND(10.)
Chloroform	ND(10.)	Tetrachloroethene	ND(10.)
1,2-Dichloroethane	ND(10.)	1,1,2,2-Tetrachloroethane	ND(10.)
1,1,1-Trichloroethane	ND(10.)	Chlorobenzene	ND(10.)
Carbon Tetrachloride	ND(10.)	Bromodichloromethane	ND(10.)
1,2-Dichlorobenzene	ND(10.)	1,3-Dichlorobenzene	ND(10.)
Trichlorofluoromethane	ND(10.)	1,4-Dichlorobenzene	ND(10.)

NOTE: Higher detection limits is due to matrix interference.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-503

ANALYSIS NO.: 815931-009 ANALYSES: EPA Method 624

DATE SAMPLED: 06/07/88
DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/16/88
SAMPLE TYPE: Liquid

PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	(ug/L)		(ug/L)
Chloromethane	ND(100.)	1,2-Dichloropropane	ND(50.)
Bromomethane	ND(100.)	Trans-1,3-Dichloropropene	ND(50.)
Vinyl Chloride	ND(100.)	Trichloroethene	ND(50.)
Chloroethane	ND(100.)	Dibromochloromethane	ND(50.)
Methylene Chloride	ND(50.)	1,1,2-Trichloroethane	ND(50.)
Acetone	1,700.	Benzene	600.
Carbon Disulfide	ND(50.)	cis-1,3-Dichloropropene	ND(50.)
1,1-Dichloroethene	ND(50.)	2-Chloroethylvinyl ether	ND(50.)
1,1-Dichloroethane	ND(50.)	Bromoform	ND(50.)
Trans-1,2-Dichloroethene	ND(50.)	4-Methyl-2-Pentanone	ND(100.)
Chloroform	ND(50.)	2-Hexanone	ND(100.)
1,2-Dichloroethane	ND(50.)	Tetrachloroethene	ND(50.)
2-Butanone	ND(100.)	1,1,2,2-Tetrachloroethane	ND(50.)
1,1,1-Trichloroethane	ND(50.)	Toluene	140.
Carbon Tetrachloride	ND(50.)	Chlorobenzene	ND(50.)
Vinyl Acetate	ND(100.)	Ethylbenzene	340.
Bromodichloromethane	ND(50.)	Styrene	ND(50.)
		Total Xylenes	600.



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT
19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-001

ANALYSIS NO.: 815931-003

ANALYSES: EPA Method 601 DATE SAMPLED: 06/06/88

DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/09/88 SAMPLE TYPE: Liquid

PROJECT: 5500-002-210

Quarterly Sampling Santa Fe Springs

	<u>(ug/L)</u>		(ug/L)
Chloromethane	ND(1.)	1,2-Dichloropropane	ND(1.)
Bromomethane	ND(1.)	Trans-1,3-Dichloropropene	ND(1.)
Vinyl Chloride	ND(1.)	Trichloroethene	ND(1.)
Chloroethane	ND(1.)	Dibromochloromethane	ND(1.)
Methylene Chloride	ND(1.)	1,1,2-Trichloroethane	ND(1.)
1,1-Dichloroethene	ND(1.)	Cis-1,3-Dichloropropene	ND(1.)
1,1-Dichloroethane	ND(1.)	2-Chloroethylvinylether	ND(1.)
Trans-1,2-Dichloroethene	ND(1.)	Bromoform	ND(1.)
Chloroform	ND(1.)	Tetrachloroethene	ND(1.)
1,2-Dichloroethane	ND(1.)	1,1,2,2-Tetrachloroethane	ND(1.)
1,1,1-Trichloroethane	ND(1.)	Chlorobenzene	ND(1.)
Carbon Tetrachloride	ND(1.)	Bromodichloromethane	ND(1.)
1,2-Dichlorobenzene	ND(1.)	1,3-Dichlorobenzene	ND(1.)
Trichlorofluoromethane	ND(1.)	1,4-Dichlorobenzene	ND(1.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way ● Garden Grove, CA 92641 (714)898-6370 ● FAX: (714)891-5917 ● (800)LAB-1CRL

LABORATORY REPORT

ERT 19782 MacArthur Blvd., Ste. 365

Irvine, CA 92715 ATTN: Mark Wood

SAMPLE ID.: MW-001

ANALYSIS NO.: 815931-003 ANALYSES: EPA Method 624

DATE SAMPLED: 06/06/88
DATE SAMPLE REC'D: 06/07/88

DATE ANALYZED: 06/16/88

SAMPLE TYPE: Liquid PROJECT: 5500-002-210

> Quarterly Sampling Santa Fe Springs

	(ug/L)		<u>(ug/L)</u>
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(5.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(5.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(5.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(5.)
Methylene Chloride	ND(5.)	1,1,2-Trichloroethane	ND(5.)
Acetone	ND(10.)	Benzene	ND(5.)
Carbon Disulfide	ND(5.)	cis-1,3-Dichloropropene	ND(5.)
1,1-Dichloroethene	ND(5.)	2-Chloroethylvinyl ether	ND(10.)
1,1-Dichloroethane	ND(5.)	Bromoform	ND(5.)
Trans-1,2-Dichloroethene	ND(5.)	4-Methyl-2-Pentanone	ND(20.)
Chloroform	ND(5.)	2-Hexanone	ND(10.)
1,2-Dichloroethane	ND(5.)	Tetrachloroethene	ND(5.)
2-Butanone	ND(10.)	1,1,2,2-Tetrachloroethane	ND(5.)
1,1,1-Trichloroethane	ND(5.)	Toluene	ND(5.)
Carbon Tetrachloride	ND(5.)	Chlorobenzene	ND(5.)
Vinyl Acetate	ND(10.)	Ethylbenzene	ND(5.)
Bromodichloromethane	ND(5.)	Styrene	ND(5.)
		Total Xylenes	ND(5.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way • Garden Grove, CA 92641 (714)898-6370 • FAX: (714)891-5917 • (800)LAB-1CRL

LABORATORY REPORT

E.R.T, INC. 19782 MacArthur Blvd., Suite 365 ANALYSES: EPA Method 601 Irvine, CA 92715 ATTN: Mr. Mark Wood

SAMPLE ID: MW - 002

ANALYSIS NO.: 816011-003 DATE SAMPLED: 06/08/88

DATE SAMPLE REC'D: 06/08/88 DATE ANALYZED: 06/09/88

SAMPLE TYPE: Liquid

PROJECT: 5500-002-210 Quarterly Sampling

Santa Fe Springs, CA

	(ug/L)		(ug/L)
Chloromethane	ND(1.)	1,2-Dichloropropane	ND(1.)
Bromomethane	ND(1.)	Trans-1,3-Dichloropropene	ND(1.)
Vinyl Chloride	ND(1.)	Trichloroethene	ND(1.)
Chloroethane	ND(1.)	Dibromochloromethane	ND(1.)
Methylene Chloride	ND(1.)	1,1,2-Trichloroethane	ND(1.)
1,1-Dichloroethene	ND(1.)	Cis-1,3-Dichloropropene	ND(1.)
1,1-Dichloroethane	ND(1.)	2-Chloroethylvinylether	ND(1.)
Trans-1,2-Dichloroethene	ND(1.)	Bromoform	ND(1.)
Chloroform	ND(1.)	Tetrachloroethene	ND(1.)
1,2-Dichloroethane	ND(1.)	1,1,2,2-Tetrachloroethane	ND(1.)
1,1,1-Trichloroethane	ND(1.)	Chlorobenzene	ND(1.)
Carbon Tetrachloride	ND(1.)	Bromodichloromethane	ND(1.)
1,2-Dichlorobenzene	ND(1.)	1,3-Dichlorobenzene	ND(1.)
Trichlorofluoromethane	ND(1.)	1,4-Dichlorobenzene	ND(1.)



SOUTHERN CALIFORNIA DIVISION 7440 Lincoln Way • Garden Grove, CA 92641 (714)898-6370 • FAX: (714)891-5917 • (800)LAB-1CRL

LABORATORY REPORT

E.R.T, INC. 19782 MacArthur Blvd., Suite 365 ANALYSES: EPA Method 624

Irvine, CA 92715

ATTN: Mr. Mark Wood

SAMPLE ID: MW - 002

ANALYSIS NO.: 816011-003

DATE SAMPLED: 06/08/88

DATE SAMPLE REC'D: 06/08/88

DATE ANALYZED: 06/17/88

SAMPLE TYPE: Liquid

PROJECT: 5500-002-210 Quarterly Sampling

Santa Fe Springs, CA

	(ug/L)		(ug/L)
Chloromethane	ND(10.)	1,2-Dichloropropane	ND(5.)
Bromomethane	ND(10.)	Trans-1,3-Dichloropropene	ND(5.)
Vinyl Chloride	ND(10.)	Trichloroethene	ND(5.)
Chloroethane	ND(10.)	Dibromochloromethane	ND(5.)
Methylene Chloride	ND(5.)	1,1,2-Trichloroethane	ND(5.)
Acetone	ND(10.)	Benzene	ND(5.)
Carbon Disulfide	ND(5.)	cis-1,3-Dichloropropene	ND(5.)
1,1-Dichloroethene	ND(5.)	2-Chloroethylvinyl ether	ND(10.)
1,1-Dichloroethane	ND(5.)	Bromoform	ND(5.)
Trans-1,2-Dichloroethene	ND(5.)	4-Methyl-2-Pentanone	ND(10.)
Chloroform	ND(5.)	2-Hexanone	ND(10.)
1,2-Dichloroethane	ND(5.)	Tetrachloroethene	ND(5.)
2-Butanone	ND(10.)	1,1,2,2-Tetrachloroethane	ND(5.)
1,1,1-Trichloroethane	ND(5.)	Toluene	ND(5.)
Carbon Tetrachloride	ND(5.)	Chlorobenzene	ND(5.)
Vinyl Acetate	ND(10.)	Ethylbenzene	ND(5.)
Bromodichloromethane	ND(5.)	Styrene	ND(5.)
	, ,	Total Xylenes	ND(5.)